MAY 30 (996

ARIZONA DEPARTMENT OF WATER RESOURCES

500 North Third Street Phoenix, Arizona 85004

WELL DRILLER REPORT

RECORDS MGT
This report should be prepared by the <u>driller</u> in all detail and filed with the Department within 30 days following completion of the well.

		t P				
	Address: 1460	5 E. Hunt Itu	4 Florence		AZ	87021 868646
	Stree	et	City		State	Zip
2.	Driller Name: Ste	wart Brother	- Drilling Co			
	Address: Po Box		milan		MM	87021
	Stree		City	~ E	State	Zip
3	Location: 4 N	US) 9 (D/W	28 14	5205 1/	SE Seco 1	4 NE
J.	Township	Range	Section	10-acre	40-acre	160-acre
4.	Well Registration No	. 55- <u>556</u> 090			(Required)	
5.	Permit No			(If	issued)	
		DES	SCRIPTION OF	WELL		
6	Total depth of hole	290		ft.		
7.	Type of casing \overline{P}	VC and LC	<u> </u>			
,. 8.	Diameter and length	of casing (o in.	from 280 to +	-2'.	in from	to
	Method of sealing at					
	Perforated from			_to	from	to
	Size of cuts		Number of cuts	per foot		
	If screen was installe		ft. Diam_	· (e	in. Type	Prc, ,080slot, Avc, sc
3.	Method of constructi			.,		
	5 1		n, bored, jetted, etc)	10	(4)	
4.	Date started	April	7		46	
ı -	Data assumbated	Month	Day	Yea		
٦.	Date completed	April Month	Day	Yea	96	
6.	Depth to water		_			state)
	Describe point from		ements were made			·
18.	If flowing well, state	method of flow reg	gulation:	ш.		
19.	Remarks:			DO	NOT WRITE IN OFFICE RE	
				Registration N	o. 55-556090 D(4-9)28ACC	0 N N

LOG OF WELL

Indicate depth at which water was first encountered, and the depth and thickness of water bearing beds. If water is artesian, indicate depth at which encountered, and depth to which it rose in well.

From (feet)	To (feet)	Description of formation material
٥	30	Alluvium Sarud + gravel - river Sodiments
80	290	Alluvium Sand + gravel - river Sadiments Poorly Cemented upperbasin fill of Stand and gravels with clay stringers

I hereby certify that this well was drilled by me(or under my supervision), and that each and all statements herein contained are true to the best of my knowledge and belief.

Driller Name: Stewart 6	rothers Drilling Co-
PO BOX 2067	
Street NM S	37021
City State Zi	Phone No.
Signature of Driller	Date

ARIZONA DEPARTMENT OF WATER RESOURCES

Operations Division							
15 SOUTH 15TH AVENUE							
PHOENTY ARIZONA 85007							

	M	on	$\mathbf{T}0$	\mathbf{R}/\mathbf{P}	EZO	ME	ľER	WEL
13	E	3	1	$\overline{\mathbb{A}}$	PILI	Jal.	ree Fee	\$10.0

Dubf

*	
FILING-FEE \$10.00	

NOTICE OF INTENTION TO DRILL MONITOR/PIEZOMETER

Section § 45-596, Arizona Revised Statutes provide: Prior to drilling a monitor or piezometer we

Int	ention to Drill shall be filed with the	Dep	partment.		GROUNDWATER WIGH
1.	WELL LOCATION:	7.	Consulting Firm: Brown & Caldwell	10.	Construction will start:
	4 NS 9 EW 28		Contact Person: M. Glotfelty		April 17 1996 Month Day Year
	Township Range Section		Contact Person;		Month Day Year
	SE SE		Phone: (602) 222-4444	11.	Period well will remain in
	SW 1/4 SW 1/4 NE 1/4	_			10
	10 ACRE 40 ACRE 160 ACRE	8.	Purpose of well drilled pursuant to this notice		use 10 Months/Years
2.	Position location of the well on the land:		MonitorX	12.	For monitoring wells, is pump equipment to be installed?
			WIGHTOO!		equipment to be histanea:
	Latitude 33 0 3 1 13 "		Piezometer		Yes X No
	Longitude <u>111</u> 0 <u>25</u> ' <u>47</u> "	9.			(a) If yes, design pump capacity 10 gpm
9	County: Pinal		Well Registration Number		(b) What use will be made of the
J.	County:		55		water sampling only
4.				10	D.:!!! C
	BHP Name	г		13. 1	Drilling firm: Stewart Bros. Drilling Co.
	14605 E. Hunt Highway		DO NOT WRITE IN THIS SPACE		Name 306 Airport Road
	Address		OFFICE RECORD		P. O. Box 2067
	Florence AZ 85232	- [.	File No. D(4-9)28 ADD		Address
	City State Zip	- 1	-		Milan NM 87021
5	Lessee of the land of wellsite:	- -	Filed 4/2/96 By 16		City State Zip
J.	A1/A		Input ENTERED MAY 1 1996		DWR License No. 314
	Name]	InputBy		
	4.11		DUPLICATE		A-04
	Address				ROC License classification
	City State Zip		Mailed 4/34/96 Bydo	14.	Is the proposed wellsite within 100 feet
		- 1	Registration 55- 556090		of a septic tank system, sewage
6.	Owner of well:		- ·		disposal area, landfill, hazardous waste
	BHP	1	AMAZINA PINAL		facility, storage area of hazardous
	Name 14605 E. Hunt Highway	4			material or petroleum storage areas and tanks?
	Address	-	w/s <u>U8</u> s/B <u>//</u>		Yes NoX
	Florence AZ 85232	L			
	City State Zip				• .
16.	Proposed method of abandonment of well afte	r on	oject is completed: in accordance wi	th	ADWR rule R12-15-816
17.	Is this well to monitor existing contamination				Please explain: point of
	compliance monitor we	11د	for APP		
			GENERAL INSTRUCTIONS		

Fill out this form in **DUPLICATE** and send **WITH \$10.00 FEE** to 15 South 15th Avenue, Phoenix, AZ 85007.

For specific instructions, limitations and conditions, see the reverse side of this form.

Must be signed by land owner or lessee.

Section §45-596(D), provides that the Director shall determine that all information required on form has been submitted. If not, the person filing will be notified and the drilling, deepening, or modification of the well may not proceed.

I state that Notice is filed in compliance with Section § 45-596 and is complete and correct to the best of my knowledge and belief and that I understand the conditions set forth on the reverse side of this form.

				,	
	The Man Man of the Control of the Co			*	·
18.	If construction plans have been coordinated with Arizo agency contact?	na Department of Envi	ronmenta	l Quality, wł	no is the
	If construction plans have been coordinated with Arizo contact? NA	na Department of Wate	r Resourc	es, who is th	e agency
19.	WELL CONSTRUCTION PLAN	Mrd Dotary			
	a) Drilling method (mud rotary, hollow-stem auger, e b) Borehole diameters: 14 1/2 inches from inches from inches from inches from	$\begin{array}{c} 0 & \text{feet to} \\ 19 & \text{feet to} \end{array}$	feet.	crus,	··· · · · · · · · · · · · · · · · · ·
	c) Casing materials (PVC, steel, hollow-stem auger, e	tc.)	· •	1Ω	C ot
		inches from -1	_ reet to _ feet to		feet feet
	material LCS diameter 6 5/8 d) Method of sealing at reductions No red	_ inches from uctions	_ 1eet to	_240	reer
	e) Annular seal materials (cement, grout, etc.); method	od of placement (tremier	d circulat	ed)	
	material Cement Grout method tremie	from 0	feet to	220	feet
	material Fine Sand method tremie				feet
	f) Filter nacke (etate material):				_
	material Colorado Silica Sand	_ from230	feet to_	290	feet
	material	from	feet to		feet
	g) Perforations or screen specifications:				
	type PVC, .080-inch slots	from 240	feet to_	280	feet
	type	from	feet to		feet
	h) Method of well development (bail, air lift, surge)	Air Lift			
	i) Will surface or conductor casing extend above grad	le: Yes X No			
2 0.	Include detailed construction diagram showing expect vault, if specified.	ed water depth in feet b	elow land	surface, and	l details of
	CONDIT	IONS			
I.	Construction and abandonment standards for all wells R12-15-816.	shall be in accordance	with A.A.	C. R12-15-81	.1 and
II.	Drilling of the well shall be completed within one (1) y	ear after the date of No	tice.		
III.	A Well Driller Report, is required within 30 days of conto be filed with the Department within 30 days after in				
IV.	Pump equipment <u>may not</u> be installed on a well drilled pumped, pumping is limited to the maximum amount <u>may exceed 35 gallons per minute and an annual volument</u>	required for monitor pu			5
V.	A.A.C. Rule R12-15-811.H.2, requires that: "A monitor cover or at the top of the steel casing. Identification in				per."
VI.	Special construction standards required pursuant to A	.A.C. Rule R12-15-821:			
	- F				

May 2 9 1996

ARIZONA DEPARTMENT OF WATER RESOURCES

OPERATIONS DIVISION 15 South 15th Avenue Phoenix, Arizona 85007 (602) 542-1581

NOTE: A.R.S. §45-593.C. requires that the Department be notified of change of well control and accurate. Well data and ownership changes must be submitted within thirty (30) days after changes take place. Therefore, this form may be completed in full by either the previous or new owner.

SAVE THIS FORM TO REPORT FUTURE CHANGES IN OWNERSHIP, <u>CHANGES IN ADDRESS</u>, OR CHANGE IN WELL DATA SUCH AS PUMP CAPACITY, CORRECTION OF LEGAL DESCRIPTION, CHANGE OF WELL DRILLER AND AMENDING INFORMATION PREVIOUSLY FILED.

CHANGE O	F WELL INFO	RMATION			
Well Registra	ation No. 55- <u>5</u>	56090	File No	(49)28acc	(If known)
/We request	the following we	Il information be change	ged: Well location:	Battle SEYL	e of the
SE 44 0	fthe NET	y of Section	28, Township 45	, Range 9E	(Df4-4)28ad
			ENTE	REDJUN 10	1996
Date: 5/2	3/46 Sign	nature of Current We	Il Owner The	Klene	
STATEMEN	T OF CHANGE	OF WELL OWNER	B F	t P	
[,		, state that I	am (no longer) the (new)	owner of the well d	escribed below:
1/4	1/4160 age	_1/4; Section	Township	Range	
PRINT Previ	ious Owner's Nar	me	PRINT New	Owner's Name	
Mailing Address			Mailing Addr	ess	
City	State	Zip	City	State	Zip
Telephone			Telephone		
Dated DWR-55-71-	6/03(Ray)	Signature Pre	vious/New Owner		

ARIZONA DEPARTMENT OF WATER RESOURCES

Operations Division, 500 North Third Street Phoenix, Arizona 85004 Telephone (602) 417-2470

3. REQUEST TO CHANGE WELL DRILLER

\$10.00 FEE REQUIRED FOR EACH WELL

This request must be received by this Department and the Drill Card issued to the <u>new drilling firm PRIOR</u> to the drilling or completion of any well.

Well Registration No. 55	File No.
••	
Original Well Driller	New Well Driller
Mailing Address	Mailing Address
ADWR License Number	ADWR License Number
R.O.C. License Number	R.O.C. License Number
Typed or Printed Name of Well Owner	Signature of Well Owner Date
The fee charge for well ownership a effective June 30, 1994.	and reissue of drill card is authorized by R12-15-151,
DWR-55-71-8/94(Rev)	Show travel and diagram No Variance Needed
,	MAR 1730 1910

ARIZONA DEPARTMENT OF WATER RESOURCES GROUNDWATER MANAGEMENT SUPPORT SECTION

MAIL TO: P.O. BOX 458 - PHOENIX ARIZONA 85004-0458

Phone (602) 417-2470

COMPLETION REPORT

(Pump Installation Report)



- 1. Per A.R.S. § 45-6000, the Completion Report is to be filed with the Department within 30 days after installation of pump equipment by the registered well owner.
- Drawdown of the water level for a non-flowing well should be measured in feet after not less than 4 hours of continuous operations. For a flowing 2. well the shut-in pressure should be measured in feet above the land surface or in pounds per square inch at the land surface.
- 3. The static groundwater level should be measured in feet from the land surface immediately prior to the capacity test.

		ns per minute for a non-flo s and for a flowing well b		termined by measuring the flow at the land surface.	discharge of the pump
REGISTRATION NO	D: 55- 55(00	90	FILE NO:	D(4-9) 28	ADD
LOCATION OF THE	WELL:				
4 N(S)	9 (Ê)W	28	1/4	SE_14_SE	
Township	Range	Section	10-a	icre 40-acre	160-acre
EQUIPMENT INSTA	LLED:				
Kind of pump Stainle, Stainle, S	55 Steel Submersible, Centrifugal	<u>Cubmersible</u> , etc.	Kind of powerElectr	Electrice ic, natural gas, gasoline, et	c.
H.P. Rating of Motor	3	Pumping Capacity	10 gpm	Date Pump Installed_	5-15-96
WELL TEST:					
Test pumping capacity	Allons per minute	r	Pate Well Tested	5-15-96)
Method of Discharge Meas	surement 5 (Gallon B	UCKET Stice, current meter, et	Stopua	HCh
Static Groundwater Level	163.5			_	ft
Total Pumping Lift			ft. Drawdown		lbs
				(Flowing Well)	
I HEREBY CERTIFY tha	t the above statement	s are true to the best o	f my knowledge and l	oelief.	
Print Well Owner's Name	BHP Cop Florence Pr 14605 East Hunt	Par Address bject	Cit	y State	e Zip 5/26/99
Signature of Well Owner	Fiorence, AZ :(520) 820-524 Fax:	85232 Phone	Number		Date
DWR 55-56 (Rev 6/98)	868-5090 (OLD Q	. Hoay	Louis	Geologis Maile D	+
	7.33WZZ	69 MAR 3 0 1990		Maile DE	126 99

31-



ARIZONA DEPARTMENT OF WATER RESOURCES GROUNDWATER MANAGEMENT SUPPORT SECTION

500 North Third Street Phoenix, Arizona 85004-3903

THIS AUTHORIZATION SHALL BE IN POSSESSION OF THE DRILLER DURING ALL DRILL OPERATIONS

WELL REGISTRATION NO: 55-556090

AUTHORIZED DRILLER: STEWART BROTHERS DRILLING CO.

LICENSE NO: 314

NOTICE OF INTENTION TO DRILL A MONITOR WELL HAS BEEN FILED WITH THE DEPARTMENT BY:

CONSULTANT:

BROWN & CALDWELL

WELL OWNER:

BHP

The well(s) is/are to be located in the:

SW 1/4 of the SW 1/4 of the NE 1/4 Section 28 Township 4 SOUTH Range 9 EAST

No. of wells in this project: 1


THIS AUTHORIZATION EXPIRES AT MIDNIGHT ON THE 1ST DAY OF APRIL, 1997.

CHIEF, GROUNDWATER MANAGEMENT SUPPORT

THE DRILLER MUST FILE A LOG OF THE WELL WITHIN 30 DAYS OF COMPLETION OF DRILLING



Note: Submersible pump enclosed in a locked vault 20 be included per A.A.C. Rule R12-15-811.H.2



NOTES:

NOT TO SCALE

- 1. PVC = POLYVINYL CHLORIDE
- 2. ALL DIAMETERS ARE O.D.
- DEPTHS ARE PRELIMINARY AND WILL BE BASED ON LOCAL GEOLOGY AND WILL BE DETERMINED BY THE CONSULTANT.

DESIGN

BHP

 D_{ubf}

MONITOR WELL

Florence, Arizona

BROWN AND CALDWELL

\BHP\3355\MW-004 (1=1) 03-27-96

ARIZONA DEPARTMENT OF WATER RESOURCES

500 North Third Street, Phoenix, Arizona 85004 Telephone (602) 417-2470 Fax (602) 417-2422

April 24, 1996



FIFE SYMINGTON
Governor

RITA P. PEARSON Director

BHP 14605 E. Hunt Highway Florence, AZ 85232

RE: Registration No. 55-556090 thru 55-556094 File No. Various

Dear Well Owner:

Enclosed for your records is an annotated copy of the Notice of Intention to Drill a well. This is returned to you as evidence of compliance with A.R.S. §45-596. A drilling card has been mailed to your designated driller. Prior to drilling he must have it in his possession.

Since this well is being drilled as a Monitor well, or for Cathodic Protection, Grounding, Geotechnical or Piezometer purposes, our standard driller report form is also being furnished to the driller. He is required to complete it and return it to the Department within 30 days after the completion of the well. A Completion Report form is being furnished for monitor wells where pump installation is authorized. This must be completed within thirty days of installation as required by A.R.S. §45-600.

A Change of Well Information form is enclosed for your future use. If you deem it necessary to change the location of the proposed well, please notify the Department on the enclosed form. A properly amended Drilling Card will then be issued and must be in possession of the driller before drilling begins. During the drilling of a new well, if it is determined that it must be abandoned, then a Well Abandonment Completion Report must be submitted per R12-15-816.F.

Per A.R.S. §45-593, the person to whom a well is registered shall notify this Department of a change of ownership of the well and/or information pertaining to the physical characteristics of the well, in order to keep the well registration file current and accurate.

Sincerely, Lorothy Logg

Dorothy Boggs

Groundwater Permit Specialist

ARIZONA DEPARTMENT OF WATER RESOURCES GROUNDWATER MANAGEMENT SUPPORT SECTION

500 North Third Street Phoenix, Arizona 85004-3903

THIS AUTHORIZATION SHALL BE IN POSSESSION OF THE DRILLER DURING ALL DRILL OPERATIONS

WELL REGISTRATION NO: 55-556090

ng mga nga pangganan na katalan n

AUTHORIZED DRILLER:

STEWART BROTHERS DRILLING CO.

LICENSE NO: 314

NOTICE OF INTENTION TO DRILL A MONITOR WELL HAS BEEN FILED WITH THE DEPARTMENT BY:

CONSULTANT:

BROWN & CALDWELL

WELL OWNER:

BHP

The well(s) is/are to be located in the:

Range 9 EAST 1/4 of the SW 1/4 of the NE 1/4 Section 28 Township 4 SOUTH

No. of wells in this project: 1

THIS AUTHORIZATION EXPIRES AT MIDNIGHT ON THE 1ST DAY OF APRIL, 1997.

CHIEF, GROUNDWATER MANAGEMENT SUPPOR

THE DRILLER MUST FILE A LOG OF THE WELL WITHIN 30 DAYS OF COMPLETION OF DRILLING



ARIZONA DEPARTMENT OF WATER RESOURCES GROUNDWATER MANAGEMENT SUPPORT SECTION

500 North Third Street Phoenix, Arizona 85004-3903

REISSUE

THIS AUTHORIZATION SHALL BE IN POSSESSION OF THE DRILLER DURING ALL DRILL OPERATIONS

WELL REGISTRATION NO: 55-556090

AUTHORIZED DRILLER: STEWART BROTHERS DRILLING COMPANY

LICENSE NO: 314

NOTICE OF INTENTION TO DRILL A MONITOR WELL HAS BEEN FILED WITH THE DEPARTMENT BY:

CONSULTANT:

BROWN & CALDWELL

WELL OWNER:

BHP

The well(s) is/are to be located in the:

SE 1/4 of the

SE 1/4 of the NE 1/4 Section 28

Township 4 SOUTH

Range 9 EAST

No. of wells in this project:

THIS AUTHORIZATION EXPIRES AT MIDNIGHT ON THE 1ST DAY OF APRIL, 1997.

CHIEF, GROUNDWATER MANAGEMENT SUPPORT

THE DRILLER MUST FILE A LOG OF THE WELL WITHIN 30 DAYS OF COMPLETION OF DRILLING

